



Date Released: 7/22/2024 12:19:03PM

Report #: 20359

RS11

Sample #: 5351, Weight: 70.00g, Unit Count:

Order #: K240716-0001

Category/Type: Plant, Flower - Cured

Date Collected: 7/15/2024 3:06:00PM

Date Received: 7/16/2024 3:49:39AM

Regulator Sample ID: 0524-028

Regulator Source Package ID: 0524-028

Regulator Batch ID: 0524-028

Size: 3407Unit, Unit Count:



Total Cannabinoids
25.25 %
252.5 mg/g



Total THC
21.91 %
219.1 mg/g



Total CBD
0.05487 %
0.5487 mg/g



Total Terpenes
0.74 %



Moisture
12.3 %



Heavy Metals
PASS



Microbials
PASS



Pesticides
PASS



Mycotoxins
PASS



Foreign Matter
PASS



Water Activity
PASS

Potency Analysis by HPLC

Total Cannabinoids: **25.25 % - 252.5 mg/g**

Total THC: **21.91 % - 219.1 mg/g**

Total CBD: **0.05487 % - 0.5487 mg/g**

Date Completed: 07/18/2024 10:33AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	21.00	210.0	<div style="width: 95%;"></div>
d9-THC	1972-08-3	0.001000	3.490	34.90	<div style="width: 15%;"></div>
CBGa	25555-57-1	0.001000	0.5801	5.801	<div style="width: 2%;"></div>
CBG	25654-31-3	0.001000	0.09300	0.9300	<div style="width: 0.5%;"></div>
CBDa	1244-58-2	0.001000	0.06256	0.6256	<div style="width: 0.3%;"></div>
CBDV	24274-48-4	0.001000	0.01543	0.1543	<div style="width: 0.1%;"></div>
CBN	521-35-7	0.001000	0.01168	0.1168	<div style="width: 0.05%;"></div>
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	
THCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty. If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly N Greenland

Dr. Kelly Greenland, Lab Director






Sample #: 5351

RS11

Terpenes by HS-GC-MS

Date Completed: 07/17/2024 12:19PM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Linalool	78-70-6	0.1000	0.2911	<div style="width: 29.11%;"></div>
Beta-caryophyllene	87-44-5	0.1000	0.2709	<div style="width: 27.09%;"></div>
Limonene	5989-27-5	0.1000	0.1801	<div style="width: 18.01%;"></div>
Beta-myrcene	123-35-3	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	
Alpha-humulene	6753-98-6	0.1000	ND	
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Borneol	464-43-7	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Farnesene	502-61-4	0.1000	ND	
Camphor	464-49-3	0.1000	ND	

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5351

RS11

Compound	CAS#	LOQ (%)	%	Relative Concentration
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by microscopy

Pass

Analysis Date: 07/16/2024 2:04 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Exreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture Content

Pass

Analysis Date: 07/16/2024 2:42 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	12.3	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty. If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5351

RS11

Water Activity

Pass

Analysis Date: 07/16/2024 2:07 pm

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.57	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 07/19/2024 11:25 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chloromequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty.
 If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5351

RS11

Pesticides by LCMSMS

Pass

Analysis Date: 07/19/2024 11:25 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Fonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5351

RS11

Pesticides by LCMSMS

Pass

Analysis Date: 07/19/2024 11:25 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5351

RS11

Mycotoxins

Pass

Analysis Date: 07/19/2024 11:25 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Metals

Pass

Analysis Date: 07/17/2024 1:50 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	0.121	Pass
Cadmium	0.00150	0.300	0.0391	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	14.7	Pass
Lead	0.00250	0.500	0.0115	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	5.00	ND	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Microbials Count/Qualitative

Pass

Analysis Date: 07/18/2024 4:35 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 5351

RS11

Microbials Count/Qualitative

Pass

Analysis Date: 07/18/2024 4:35 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10		<LOQ	Pass
Total Yeast & Mold	10		8000	Pass

Comment: Note that "Pass" is listed for total yeast and mold and total aerobic bacteria results for all adult use products, as there are currently no limits for conformity.

LOQ= Level of Quantitation. ND= Not Detected. Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

