

Aeterna Cannabis

License #: OCM-AUCC-22-000037

Certificate of Analysis

Final



Date Released: 4/30/2024 3:28:26PM

Report #: 15267

Ego Checker

Sample #: 4322, Weight: 28.00g, Unit Count:

Order #: X240409-0001

Category/Type: Plant, Flower - Cured

Date Collected: 4/9/2024 2:23:10PM

Date Received: 4/9/2024 5:30:52PM

Regulator Sample ID: 0324-023

Regulator Source Package ID: 0324-023

Regulator Batch ID: 0324-023

Size: 735Units, Unit Count:



Total Cannabinoids
30.05 %
300.5 mg/g



Total THC
25.29 %
252.9 mg/g



Total CBD
0.06079 %
0.6079 mg/g




Total Terpenes
1.5 %



Moisture
10.9 %



Heavy Metals
PASS



Microbials
PASS



Pesticides
PASS



Mycotoxins
PASS



Foreign Matter
PASS



Water Activity
PASS

Potency Analysis by HPLC

Total Cannabinoids: **30.05 % - 300.5 mg/g**

Total THC: **25.29 % - 252.9 mg/g**

Total CBD: **0.06079 % - 0.6079 mg/g**

Date Completed: 04/11/2024 12:20PM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	28.58	285.8	<div style="width: 28.58%;"></div>
CBGa	25555-57-1	0.001000	0.9934	9.934	<div style="width: 0.9934%;"></div>
d9-THC	1972-08-3	0.001000	0.2211	2.211	<div style="width: 0.2211%;"></div>
CBG	25654-31-3	0.001000	0.1621	1.621	<div style="width: 0.1621%;"></div>
CBDa	1244-58-2	0.001000	0.06932	0.6932	<div style="width: 0.06932%;"></div>
THCV	31262-37-0	0.001000	0.02831	0.2831	<div style="width: 0.02831%;"></div>
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC		0.001000	ND	ND	
d10/S9-THC		0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBDV	24274-48-4	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein. Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York

1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Aeterna Cannabis

License #: OCM-AUCC-22-000037

Certificate of Analysis

Final



Sample #: 4322


Ego Checker

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
CBN	521-35-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.
 d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

Terpenes by HS-GC-MS

Date Completed: 04/10/2024 11:10AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.5908	<div style="width: 59%;"></div>
Limonene	5989-27-5	0.1000	0.2821	<div style="width: 28%;"></div>
Farnesene	502-61-4	0.1000	0.1978	<div style="width: 19%;"></div>
Linalool	78-70-6	0.1000	0.1787	<div style="width: 17%;"></div>
Alpha-humulene	6753-98-6	0.1000	0.1620	<div style="width: 16%;"></div>
Guaiol	489-86-1	0.1000	0.1153	<div style="width: 11%;"></div>
Beta-myrcene	123-35-3	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Borneol	464-43-7	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
 Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4322

Ego Checker

Compound	CAS#	LOQ (%)	%	Relative Concentration
Camphene	79-92-5	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Camphor	464-49-3	0.1000	ND	
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 04/10/2024 6:14 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4322

Ego Checker

Foreign Matter by Microscopy		Pass		Analysis Date: 04/10/2024 6:14 pm	
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
Mammalian Excreta	0.00100	0.03	ND	Pass	
Stems	0.00100	5.0	ND	Pass	

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture LWG		Pass		Analysis Date: 04/10/2024 6:14 pm	
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
Moisture	1.2	5 - 15	10.9	Pass	

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity		Pass		Analysis Date: 04/10/2024 6:14 pm	
Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Water Activity	0.05	0.65	0.45	Pass	

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS		Pass		Analysis Date: 04/10/2024 3:51 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4322

Ego Checker

Pesticides by LCMSMS

Pass

Analysis Date: 04/10/2024 3:51 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4322

Ego Checker

Pesticides by LCMSMS

Pass

Analysis Date: 04/10/2024 3:51 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4322

Ego Checker

Pesticides by LCMSMS

Pass

Analysis Date: 04/10/2024 3:51 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 04/10/2024 3:51 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 04/11/2024 11:27 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
----------	------------	---------------	---------------	--------

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.
Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 4322

Ego Checker

Heavy Metals by ICPMS

Pass

Analysis Date: 04/11/2024 11:27 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	0.0130	Pass
Cadmium	0.00150	0.300	0.0196	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	11.8	Pass
Lead	0.00250	0.500	0.0642	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	5.00	ND	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 04/11/2024 2:24 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10		2000	Pass
Total Yeast & Mold	10		32000	Pass

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. **Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein. Amended to remove visible address as per customer request.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director

